



IECEx Certificate of Conformity

Certificate No.:

IECEx EPS 13.0029U

Date of Issue:

2013-11-04

Issue No.: 0

Manufacturer:

Page 2 of 3

WISE CONTROL, INC. 2022, Deogyeong-Daero, Giheung-Gu, Yongin-Si, Gyeonggi-Do, Korea Korea, Republic of

Additional Manufacturing location (s):

This certificate is issued as verification that a sample(s), representative of production, was assessed and tested and found to comply with the IEC Standard list below and that the manufacturer's quality system, relating to the Ex products covered by this certificate, was assessed and found to comply with the IECEx Quality system requirements. This certificate is granted subject to the conditions as set out in IECEx Scheme Rules, IECEx 02 and Operational Documents as amended.

STANDARDS:
The electrical apparatus and any acceptable variations to it specified in the schedule of this certificate and the identified documents, was found to comply with the following standards:

IEC 60079-0 : 2011 Explosive atmospheres - Part 0: General requirements

Edition: 6.0

EEC 60079-7 : 2006-07 Explosive atmospheres - Part 7: Equipment protection by increased safety *e*

This Certificate does not indicate compliance with electrical safety and performance requirements other than those expressly included in the Standards listed above.

TEST & ASSESSMENT REPORTS:
A sample(s) of the equipment listed has successfully met the examination and test requirements as recorded in

Test Report. DE/EPS/ExTR13.0030/00

Quality Assessment Report:

DE/EPS/QAR12.0008/01

IECEx Certificate of Conformity		
	01 0	Joinorning
Certificate No.:	IECEx EPS 13.0029U	
Date of Issue:	2013-11-04	Issue No.: 0
		Page 3 of 3
	Schedul	e
EQUIPMENT:	vered by this certificate are as follows:	
	Winding RTD is to mainly detect and pr	revent overheating of motors. It is inserted in between a
	sor can be used with consideration of	the applied power in the given type of protection.
Schedule of limitations: See document attached (at	nnex).	
CONDITIONS OF CERTIFI	CATION: NO	
	Annex: EPS 13.0	0029U pdf