



Celebrating 20 years
1995 – 2015

9410 - 20 Ave N.W.
Edmonton, Alberta, Canada T6N 0A4
Tel: (780) 437-9100 / Fax: (780) 437-7787

May 14, 2015

Attention: Mr. CH LEE
WISE CONTROL INC
199 SANGGAL-DONG GIHEUNG-GU
YONGIN-SIM
GYEONGGI-DO,

The design submission, tracking number 2015-03108, originally received on April 21, 2015 was surveyed and accepted for registration as follows:

CRN : 0F15658.2

Accepted on: May 14, 2015

Reg Type: New Design

Expiry Date: May 14, 2025

Drawing No. : SR-W01-REV0 - SCOPE OF REGISTRATION

Fitting type: PRESSURE GAUGES, SWITCHES, & DIAPHRAGM SEALS

The registration is conditional on your compliance with the following notes:

This registration is valid only for fittings fabricated at the location(s) covered by the QC certificate attached to the accepted AB-41 Statutory Declaration form. This registration is valid only until the indicated expiry date only if the Manufacturer maintains a valid quality management system approved by an acceptable third-party agency until that date. Should the approval of the quality management system lapse before the expiry date indicated above, this registration shall become void.

An invoice covering survey and registration fees will be forwarded from our Revenue Accounts.

Enclosed are stamped prints for your reference.

Sincerely,

RADISAVLJEVIC, ZANA, R.E.T.



STATUTORY DECLARATION
Registration of Fittings



I, Mr. JS Choi,

Manufacturing Department Chair
(company title, e.g. vice president, plant manager, chief engineer) (must be in a position of authority)

of WISE CONTROL INC.
(name of manufacturer)

located at 2022, Deogyong-daero, Giheung-gu, Yongin-si, Gyeonggi-do, 446-905, Korea
(plant address)

do solemnly declare that the fittings listed hereunder, which are subject to the Safety Codes Act (check one)

- comply with the requirements of _____ which specifies the dimensions, (title of recognized North American Standard) materials of construction, pressure/temperature ratings and identification marking of the fittings, or
- are not covered by the provisions of a recognized North American standard and are therefore manufactured to comply with ASME B40.2; B31.3; B40.100 as supported by the attached data which identifies the dimensions, materials of construction, pressure/temperature ratings and the basis for such ratings, and the marking of the fittings for identification.

I further declare that the manufacture of these fittings is controlled by a quality control program which has been verified by the following authority, IQNET KFC as being suitable for the manufacture of these fittings to the stated standard. The fittings covered by this declaration, for which I seek registration, are Diaphragm seals, DP Gauge, Bourdon gauge

In support of this application, the following information, calculations and/or test data are attached:
Diaphragm seals: P721-1, P721-2; DP Gauge: P970, P953-P2, P953-P3; Bourdon gauge: P229, P252, P257, P258 per scope summary SR-W01-Rev. 0

DECLARED before me at Yongin City in the Gyeonggi Province of Korea
this 25th day of March, 2015
(Month) (Year)
(print) _____
(sign) _____
(A Commissioner for Oaths)

WISE CONTROL INC.
2015-03-25
We hereby certify that the signature appearing herein has been duly registered at this company.

For Office Use Only


To the best of my knowledge and belief, the application meets the requirements of the Safety Codes Act and CSA Standard B51, Clause 4.2, and is accepted for registration in Category F

Registration Number: OF15658.2

Date Registered: MAY 14 2015 Expiry Date: MAY 14 2025

The information you provide is necessary only for the administration of the programs as required by the Alberta Safety Codes Act and Regulations in the Boiler Discipline.

MAY 14 2015



Jovan R. RADISAVLJEVIC
(For the Administrator/Chief Inspector of Alberta)
Staff
Bo-Ram, Choi

20150105

2015. 03. 26



WISE Control Inc.
 2022, Deogyeong-daero, Giheung-Gu, Yongin-Si, Gyeonggi-Do,
 449-905, Republic of Korea

SR-W01-REV0 - Scope of Registration Summary

Model	Type	Nominal Diameter (mm)	NPT Process Connection Sizes (in)	Max. Design Pressure (psi)	Max. Design Temp. (°F)	Materials
P229	Test Pressure Gauge	160	1/4, 3/8, 1/2	Up to 3,626	176	Flange: A240 316/316L B575/B574 N10276 A182 F316/F316L Pipe/tube: A312 TP316/316L A269 TP316/316L B622 N10276 B619 N10276 B775 N10276 A511 316L Bar: A479 316/316L A276/A240 316/316L
P252	Solid Industrial Pressure Gauge	100, 160			392	
P257	Safety Pressure Gauge	63	1/8, 1/4		176	
		160	1/4, 3/8, 1/2			
P258	Liquid-filled Industrial Pressure Gauge	63	1/8, 1/4		212	
		100, 160	1/4, 3/8, 1/2			
P721-1	"I" Type Diaphragm Seal	90	150# to 2500# ASME Flange 1/2, 3/4, 1,	Up to 507		
P721-2		70	1 1/4, 1 1/2, 2, 2 1/2, 3, 4	Up to 2,900		
P953-P2	Explosion Proof Pressure Switch	---	1/2	Up to 290		
P953-P3				Up to 2,900		
P970	Explosion Proof Differential Pressure Switch	---	1/4	Up to 217		

I the undersigned hereby confirm that the above is accurate, true and complete:

Name: S. C. RYU Title: Q.M. Director

Signature: [Signature] Date: 2015. 4. 14.

ABSA

SAFETY CODES ACT - PROVINCE OF ALBERTA

REGISTRATION OF FITTINGS

OF 15658.2

REGISTRATION NO. _____

DWG. NO. or CAT. NO. SR-W01-Rev0

TYPE OF FITTINGS Pressure gauges, switches, & Diaphragm seals

Date **MAY 14 2015** INITIALS ZANA R.

Date **MAY 14 2015** ZANA RADISAVLJEVIC, R.E.T.
DESIGN SURVEYOR